

**DEPARTMENT OF TRANSPORTATION****DIVISION OF ENGINEERING SERVICES****OFFICE ENGINEER**1727 30<sup>th</sup> Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

TTY 711

*Flex your power!  
Be energy efficient!*

July 9, 2012

11-SD-15, 76-R46.1/R47.3,R16.7/R17.7

11-257144

Project ID 1100020469

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SAN DIEGO COUNTY NEAR BONSALE AND FALLBROOK ON ROUTE 15 FROM 0.4 MILE SOUTH TO 0.8 MILE NORTH OF ROUTE 76/15 SEPARATION AND ON ROUTE 76 FROM 0.5 MILE WEST TO 0.5 MILE EAST OF ROUTE 76/15 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, July 19, 2012.

This addendum is being issued to revise the Notice to Bidders and Special Provisions.

In the Special Provisions, Section 10-1.46, "EROSION CONTROL (POLYMER STABILIZED FIBER MATRIX)," subsection "CONSTRUCTION," sub- subsection "Application," the fourth paragraph is revised as follows:

"Apply erosion control materials:

1. In the proportions indicated in the table below. Successive applications or passes may be needed to achieve the required proportion rate:

**Seed (Type 1)**

Material	Application Rate
Seed	24.6 lbs/acre
Wood Fiber	1800 lbs/acre
Cellulose Fiber	1250 lbs/ acre
Tackifier	10 gal/acre
Humate	500 lbs/acre

11-SD-15, 76-R46.1/R47.3, R16.7/R17.7  
11-257144  
Project ID 1100020469

**Seed (Type 2)**

Material	Application Rate
Seed	24.2 lbs/acre
Wood Fiber	1800 lbs/acre
Cellulose Fiber	1250 lbs/ acre
Tackifier	10 gal/acre
Humate	500 lbs/acre

2. To form a continuous mat with no gaps between the mat and the soil surface.
3. From 2 or more directions to achieve a continuous mat.
4. In layers to avoid slumping and to aid drying.
5. During dry weather or at least 24 hours before predicted rain."

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum is available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/11/11-257144](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/11/11-257144)**

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



REBECCA D. HARNAGEL  
Chief, Office of Plans, Specifications & Estimates  
Office Engineer  
Division of Engineering Services